
## HellermannTyton

## **Specification Sheet**

Part Number: TAG21J-450



survive flux removal when the board is washed. HellermannTyton's 450 material is designed for use on flat surfaces and can also be used to identify connectors, buttons and just about anything requiring permanent, durable, high

Article Number	593-21450
Туре	TAG21J
Color	White (WH)
Features & Benefits	•Ink jet printable polyester has a smooth surface, allowing for the highest resolution and print contrast. •The acrylic-based adhesive bonds to a wide variety of substrates and resists abrasion. •When used with black pigment-based inks, the material can withstand chemicals and solvents.
Quantity Per	pack
Product Description	HellermannTyton white polyester labels are ideal for marking small electrical and electronic components, such as EPROMS', Integrated circuits, as well as the circuit board itself. Printed labels can withstand the soldering process and

temperature marking.

Short Description	Ink Jet Label, .75" x .5", 156 Per Sheet, PET, White, 5000/pkg
Global Part Name	TAG21J-450-WH
Width W (Imperial)	0.5
Width W (Metric)	12.7
Thickness T (Metric)	64.0
Height H (Imperial)	0.75
Height H (Metric)	19.05
Material	Type 450, Polyetylene Terephthalate (PET)
Material Shortcut	450
Adhesive	Acrylic
Halogen free	No
Adhesive Operating Temperature	-40°F to +176°F (-40°C to +80°C)
Operating Temperature (Metric)	-40°F to +302°F (-40°C to +150°C)
Reach Complaint(Article 33)	Yes
ROHS Complaint	Yes

Package Quantity(Imperial)	5000
Package Quantity (Metric)	5000
Customs Number	3919905060
Labels per Column	12
Labels per Row	13
Weight (Metric)	0.521
Weight (Imperial)	1.14

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions

 $<sup>\</sup>hbox{@}$  2018 HellermannTyton. All rights reserved.